Set Name Query side by side			Hit Count Set Name result set	
DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=AND				
<u>L13</u>	L12 pathogenic	16	<u>L13</u>	
<u>L12</u>	L11 directly	187	<u>L12</u>	
<u>L11</u>	L6 (million or ppm) respiratory	188	<u>L11</u>	
<u>L10</u>	L6 (million or ppm) near20 "nitric oxide"	0	<u>L10</u>	
<u>L9</u>	L6 (million or ppm)near10 "nitric oxide"	0	<u>L9</u>	
<u>L8</u>	L6 (million or ppm)	190	<u>L8</u>	
<u>L7</u>	L6 "nitric oxide" near5 gas	5	<u>L7</u>	
<u>L6</u>	L5 gas	294	<u>L6</u>	
<u>L5</u>	L4 parts	317	<u>L5</u>	
<u>L4</u>	L3 microorganism	318	<u>L4</u>	
<u>L3</u>	L2 (bacteria or parasitis or fungi)	371	<u>L3</u>	
<u>L3</u> <u>L2</u>	L1 tuberculosis	428	<u>L2</u>	
<u>L1</u>	"nitric oxide" (inhalation or aerosol or inhaler) (pulmonary or respiratory)	1564	<u>L1</u>	

**END OF SEARCH HISTORY** 

FILE 'HOME' ENTERED AT 13:02:06 ON 22 AUG 2003

=> file caplus biosis COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 13:02:30 ON 22 AUG 2003 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 13:02:30 ON 22 AUG 2003 COPYRIGHT (C) 2003 BIOLOGICAL ABSTRACTS INC.(R)

=> s nitric oxide (pulmonary or respiratory) tuberculosis MISSING OPERATOR 'OXIDE (PULMONARY' The search profile that was entered contains terms or nested terms that are not separated by a logical operator.

=> s nitric oxide pulmonary or respiratory tuberculosis
L1 303 NITRIC OXIDE PULMONARY OR RESPIRATORY TUBERCULOSIS

=> s nitric oxide pulmonary or respiratory tuberculosis inhalation L2 152 NITRIC OXIDE PULMONARY OR RESPIRATORY TUBERCULOSIS INHALATION

=> s nitric oxide pulmonary or respiratory tuberculosis inhalation microorganism

L3 152 NITRIC OXIDE PULMONARY OR RESPIRATORY TUBERCULOSIS INHALATION MICROORGANISM

=> s nitric oxide pulmonary or respiratory tuberculosis inhalation microorganism ppm

L4 152 NITRIC OXIDE PULMONARY OR RESPIRATORY TUBERCULOSIS INHALATION MICROORGANISM PPM

=> rem dup 14 DUP IS NOT VALID HERE

The DELETE command is used to remove various items stored by the system.

To delete a saved query, saved answer set, saved L-number list, SDI request, batch request, mailing list, or user-defined cluster, format, or search field, enter the name. The name may include? for left, right, or simultaneous left and right truncation.

## Examples:

DELETE BIO?/Q - delete query names starting with BIO DELETE ?DRUG/A - delete answer set names ending with DRUG DELETE ?ELEC?/L - delete L-number lists containing ELEC - delete SDI request DELETE ANTICOAG/S - delete batch request DELETE ENZYME/B - delete user-defined cluster DELETE .MYCLUSTER - delete user-defined display format DELETE .MYFORMAT DELETE .MYFIELD - delete user-defined search field DELETE NAMELIST MYLIST - delete mailing list

To delete an ordered document or an offline print, enter its

number.

## Examples:

```
DELETE P123001C - delete print request
DELETE D134002C - delete document order request
```

To delete an individual L-number or range of L-numbers, enter the L-number or L-number range. You may also enter DELETE LAST followed by a number, n, to delete the last n L-numbers. RENUMBER or NORENUMBER may also be explicitly specified to override the value of SET RENUMBER.

## Examples:

```
DELETE L21 - delete a single L-number

DELETE L3-L6 - delete a range of L-numbers

DELETE LAST 4 - delete the last 4 L-numbers

DELETE L33- - delete L33 and any higher L-number

DELETE -L55 - delete L55 and any lower L-number

DELETE L2-L6 RENUMBER - delete a range of L-numbers and renumber remaining L-numbers

DELETE RENUMBER - renumber L-numbers after deletion of intermediate L-numbers
```

Entire sets of saved items, SDI requests, batch requests, user-defined items, or E-numbers can be deleted.

## Examples:

```
DELETE SAVED/Q - delete all saved queries

DELETE SAVED/A - delete all saved answer sets

DELETE SAVED/L - delete all saved L-number lists

DELETE SAVED - delete all saved queries, answer sets, and L-number lists

DELETE SAVED/S - delete all SDI requests

DELETE SAVED/B - delete all batch requests

DELETE CLUSTER - delete all user-defined clusters

DELETE FORMAT - delete all user-defined display formats

DELETE FIELD - delete all user-defined search fields


DELETE SELECT - delete all E-numbers

DELETE HISTORY - delete all L-numbers and restart the session at L1
```

To delete an entire multifile SDI request, enter DELETE and the name of the request. To delete a component from the multifile SDI, enter DELETE and the name of the component.

```
=> d l4 all 1-7
L4
     ANSWER 1 OF 152 CAPLUS COPYRIGHT 2003 ACS on STN
AN
     2003:259102 CAPLUS
DN
     138:265456
     Epoprostenol and nitric oxide therapy for severe pulmonary hypertension
TI
in
    liver transplantation. [Erratum to document cited in CA135:313431]
ΑU
    Molmenti, E. P.; Ramsay, M.; Ramsay, K.; Lynch, K.; Tillmann Hein, H. A.;
    Molmenti, H.; Levy, M.; Goldstein, R.; Ausloos, K.; East, C.; Fasola, C.;
    Jung, G.; Escobar, J.; Klintmalm, G.
CS
    Baylor University Medical Center, Dallas, TX, USA
```

```
SO
     Transplantation Proceedings (2001), 33(5), 2881
     CODEN: TRPPA8; ISSN: 0041-1345
PB
     Elsevier Science Inc.
DТ
     Journal
LA
     English
     1-9 (Pharmacology)
CC
     On page 1332, left-hand column, under the heading "PATIENTS AND METHODS,"
AΒ
     the dosage of epoprostenol referred to in the fourth line down should
read
     "5 ng/kg per min.".
ST
     erratum epoprostenol nitric oxide pulmonary
     hypertension liver transplant; epoprostenol nitric oxide
     pulmonary hypertension liver transplant erratum
IT
     Human
     Transplant and Transplantation
        (epoprostenol and nitric oxide therapy for severe pulmonary
        hypertension following orthotopic liver transplantation (Erratum))
     Transplant and Transplantation
IT
        (liver; epoprostenol and nitric oxide therapy for severe pulmonary
        hypertension following orthotopic liver transplantation (Erratum))
IT
     Hypertension
        (pulmonary; epoprostenol and nitric oxide therapy for severe pulmonary
        hypertension following orthotopic liver transplantation (Erratum))
IT
        (transplant; epoprostenol and nitric oxide therapy for severe
pulmonary
        hypertension following orthotopic liver transplantation (Erratum))
     35121-78-9, Epoprostenol
IT
    RL: BSU (Biological study, unclassified); PRP (Properties); THU
     (Therapeutic use); BIOL (Biological study); USES (Uses)
        (epoprostenol and nitric oxide therapy for severe pulmonary
        hypertension following orthotopic liver transplantation (Erratum))
IT
    10102-43-9, Nitric oxide, biological studies
    RL: BSU (Biological study, unclassified); PRP (Properties); THU
     (Therapeutic use); BIOL (Biological study); USES (Uses)
        (inhaled; epoprostenol and nitric oxide therapy for severe pulmonary
       hypertension following orthotopic liver transplantation (Erratum))
```



Searched for: All of the words nitric oxide and respiratory and tuberculosis and infection and ppm

Found: 9 total | journal results | 9 Web results

Sort by: relevance | date

1. No Title Aug 2002

...Course: PG 5 - Diagnosis of **tuberculosis** in the era of molecular biology Organized by the Respiratinfections Assembly Aims: The aims of...Organized jointly by the **Respiratory infections** Assembly and the Clinical...

[http://www.ersnet.org/images/2/2/finalprog/e\_Scientifi...]

similar results

2. ARI2.PDF

May 2002 ....SEARCH ANNOTATED BIBLIOGRAPHY ON Acute **Respiratory Infections** (ARI) and Indoor Air Pollution (With...Blaise, G. (1997) Should we treat acute **respiratory** distress syndrome with inhaled **nitric oxide**? Lancet, 350, 111-112. 1.1 Acute Lower... [http://www.ehproject.org/PDF/ARIbibs/ARIBib2.pdf]

similar results

3. 51-01508102.dvi

Feb 2002

...collection of nasal and ex- haled **nitric oxide** - Djupesland P.G., Qian W. and...Noninvasive exhaled gas measurement at a **respiratory** research laboratory. Participants...Measurements and results: Exhaled **nitric oxide** (ENO) and nasal **nitric oxide**...

 $\underline{\mathsf{more\ hits\ from\ }} \ [\mathsf{http://www.elsevier.com/homepage/sah/spd/2002sample\_pd...}] \\ \underline{\mathsf{similar\ results}}$ 

4. No Title

Oct 2002

...21 B6: **Tuberculosis** in health care workers...23 B8: Streptococcus Suis **Infection**...58 D2: Chemical-induced Upper **Respiratory** Tract Inflammation... [http://www.info.gov.hk/labour/public/oh/Diseases.pdf] similar results

5. Biomedical Technology Resources Section B

Stanford, CA, Oct 2002

...ROM authoring. Special Features Physiological support and monitoring, cardiac and **respiratory** synchronization of small animals. RF coils constructed with on-site CAD, photolithography...

[http://www.ncrr.nih.gov/ncrrprog/btdir/SecB.asp] similar results

6. Microsoft Word - aj abstrakte.doc

Aug 2002

...Huisamen Department Medical Microbiology When treating any **infection** with an antimicrobial agent the main objective of the treatment...concentration of the antibiotic is above the MIC at the site of **infection** for at least 50% of the dosage interval. To optimize hoth...

[http://www.sun.ac.za/Internet/Academic/Health/Academia...]

7. Untitled Document

Nov 2001

...musculoskeletal conditions, agricultural **respiratory** disease, noise-induced hearing loss, and...levels well below the established TLV of 25 **ppm**. "Asthma-like syndrome" is a nonallergic **respiratory** condition that is identical clinically... [http://www.uic.edu/sph/glakes/agsafety2001/papers/kirk...] similar results

Your query was rewritten to: "nitric oxide" and respiratory and tuberculosis and infection and ppm
We did this by adding quotes to common phrases, and by removing non-essential

- Repeat without rewrite

words.



8.	No Title Aug 2002 Integrative Cancer Therapies EDITOR-IN-CHIEF Keith I. Block, MD Institute for Integrative Cancer Care and University of Illinois at Chicago ASSOCIATE EDITOR Charlotte Gyllenhaal, PhD Institute for Integrative Cancer Care and University of Illinois at [http://www.sagepub.co.uk/journals/details/USSamples/IC] similar results
	52-08701502.dvi Feb 2002in a patient heterozygous for the H63D genoytpe - 9763 Coexpression of Inducible <b>nitric oxide</b> synthase and COX-2 in hepatocellular carcinoma and surrounding liver: Possible [http://www.elsevier.com/homepage/sah/spd/2002sample_pd] similar results
	fast 🔡

Scirus Test Zone | Scirus Toolbar | Subscribe to Scirus News Updates
Advertising Information | Add Scirus to Your Website | Privacy Policy | Legal

Powered by FAST © Elsevier Science 2003